Atty Docket: DUMMER4.1C1C1 Appl. No.: Unknown




FIG. 1

Woodard et al.
Atty Docket: DUMMER4.1C1C1 Appl. No.: Unknown




FIG. 2

Appl. No.: Unknown Atty Docket: DUMMER4.1C1C1

10 *FIG. 3C* FIG. 3A 102 101 105 103 - 104 FIG. 3B

ROTARY PUMP WITH HYDRODYNAMICALLY SUSPENDED IMPELLER

Woodard et al.

Appl. No.: Unknown Atty Docket: DUMMER4.1C1C1

FIG. 4A FIG. 4B FIG. 4C

Appl. No.: Unknown

Woodard et al.
Atty Docket: DUMMER4.1C1C1






FIG. 5





Woodard et al.
Atty Docket: DUMMER4.1C1C1 Appl. No.: Unknown




FIG. 8

Appl. No.: Unknown




FIG. 9






FIG. 10




Appl. No.: Unknown

Atty Docket: DUMMER4.1C1C1





Woodard et al.
Atty Docket: DUMMER4.1C1C1 Appl. No.: Unknown



VA-A1 V1 HQ Curves in 18% Glycerol

ROTARY PUMP WITH HYDRODYNAMICALLY SUSPENDED IMPELLER Woodard et al. Appl. No.: Unknown Atty Docket: DUMMER4.1C1C1





Poly. (2300) -- Poly. (2400) - Poly, (2100) -Poly. (1500) - Poly. (2000) 14.00 VA-A1 V1 Electrical Power vs Flow Rate Curves in 18% Glycerol 12.00 10.00 8.00 6.00 4.00 Pump orientation V1 2.00 35 26. 30 20 5 Electrical Power (Watta)

FIG. 15




FIG. 16

IMPELLER Woodard et al.

Appl. No.: Unknown

Atty Docket: DUMMER4.1C1C1






FIG. 17

ROTARY PUMP WITH HYDRODYNAMICALLY SUSPENDED IMPELLER

Woodard et al.





IMPELLER Woodard et al.

Appl. No.: Unknown

Atty Docket: DUMMER4.1C1C1




FIG. 20